



RONDÒ

Rondò, for its round shape and romantic ornament, is one of the stoves preferred by a public that loves soft lines and a graceful appearance. It can also be supplied with smooth ceramic surface, without ornaments, and in this case it acquires a more severe and seductive line.

It is produced in five sizes and it is equipped with a 'Gran Fuoco' door.

It can be equipped with a CARTER FOR EXTERNAL AIR INTAKE.

MODELS AND SIZES

With ornaments




CLASSICHE WOOD

With ornaments on base and lid



Smooth





CLASSICHE WOOD

SIZE			1	2	3	4	5
With Ceramic Column h 90 cm	A	cm	207	221	247	261	275
	B	cm	218	232	258	272	286
	C	cm	30	30	30	30	30
	D	cm	NO	NO	101	115	115

CLEARANCES FROM
FLAMMABLE MATERIALS

Side: 30 cm
Rear: 20 cm
Front (combustion chamber door): 150 cm

INSTALLATION NOTES

- » The installations must be made in accordance with UNI 10683 (in Italy) or according to the regulations in force in the country where the stove is installed.
- » In the case of a rear smoke outlet with exposed pipe and flammable material near the stove, it is essential to use a double-walled pipe at least 10 cm away from all flammables.

TECHNICAL DATA

SIZE		1	2	3	4	5
Heat Output *	kW	6	6,5	7,5	7,8	8
Min-Max Heat Output	kW	4 - 7	4 - 8	4 - 9	4 - 10	4 - 10
Heating Capacity	m³	100 - 200	100 - 230	100 - 260	100 - 290	100 - 290
Efficiency	%	83	84	80,5	82	82,5
Carbon Monoxide Emission · % Co 13% O₂	%	0,09	0,09	0,07	0,07	0,06
Dust · 13% O₂	mg/Nm³	11	11	6	6	5
Wood Consumption	Kg/h	1,7	1,9	2,2	2,2	2,3
Smoke Temperature	°C	194	201	213	208	201
Flue Pipe Diameter	cm	15	15	15	15	15
Draft	Pa	12	12	12	12	12
Total Weight	Kg	260	297	329	347	378
Ceramic Column Weight	Kg	22	22	22	22	22
Measurements (d x h)	cm	60 x 102	60 x 116	60 x 142	60 x 156	60 x 170
Energy Efficiency		A +	A +	A	A +	A +

* Complies UNI EN-13240, DEUTSCHLAND BImSchV 2

CERTIFICATIONS

CE UNI EN-13240

15a B-VG 

BImSchV 2 

